IN THE CLAIMS:

1. (Currently Amended) A structure for mounting an electrical fixture comprising a plastic mounting block having a peripheral nailing flange, four side walls extending from said peripheral flange and a front wall having a peripheral edge and a first opening adapted to provide a wire connection between an electrical fixture and wiring within a house building;

a plate covering said front wall of said mounting block said plate extending beyond the peripheral edge of said front wall and having a second opening aligned with said first opening in said front wall.

- 2. (Original) The structure claimed in claim 1 wherein said plate and said block are formed from different materials.
- 3. (Original) The structure claimed in claim 2 wherein said block is formed from a white plastic and said plate is formed from a non white plastic.
- 4. (Original) The structure claimed in claim 3 wherein said block is formed from a fire resistant material.
 - 5. (Original) The structure claims in claim 2 wherein said plate is metal.
 - 6. (Original) The structure claimed in claim 1 wherein said plate is nonrectangular.

- 7. (Original) The structure claimed in claim 1 further comprising a mechanism to center said second opening with said first opening.
- 8. (Original) A mounting block for the exterior of a building having mounting surfaces:

an opening through said mounting surfaces having a first and second set of opposite sides;

a first pair of screw holes on said first set of opposite sides of said opening and having a distance between each other of said holes said first pair of screws aligned along a central axis of said block;

a second pair of screw holes on said second set of opposite sides of said opening said second pair of holes having a second distance between each other of said holes said second set of holes positioned diagonally from each other;

wherein said first distance is different than said second distance and said pairs of screw holes are designed to permit mounting of different electrical structures.

- 9. (Original) The mounting block claimed in claim 8 wherein said opening is a non square rectangle.
- 10. (Currently Amended) The mounting block claimed in claim 8 wherein said first set of holes are 3.25" ± .25 inch apart and said second set of holes are 3.5" ± .28 apart .25" apart.

11. (Currently Amended) The mounting block claimed in claim 8 wherein said first second set of holes each has a smaller larger diameter than a diameter of each of said second first set of holes.